IMPACTS OF MARINE LITTER

www.cicancoasts.org

1MILLION sea birds

marine mammals

because of MARINELITTER

through entanglement or ingestic

Clean Coasts

of Fulmar sea birds that washed ashore dead in the North Sea had plastic

in their stomach

70% OF OUR PLANET IS COVERED BY OCEANS AND MARINE LITTER CAN BE FOUND EVERYWHERE

MILLIONS OF TONS of plastic has entered the oceans



PLASTIC CONCENTRATES IN FIVE ROTATING CURRENTS CALLED GYRES

70% marine litter is made of plastic

80%
marine litter comes
from land
based activities

PLASTIC POLLUTION IS A CARRIER OF INVASIVE SPECIES, THREATENING NATIVE ECOSYSTEMS MARINE LITTER CAN DAMAGE BOATS Fishing Nets and Ropes can wrap Around Propellers, anchors & Drive Shafts





AT LEAST 267 DIFFERENT SPECIES are known to have suffered from entanglement or ingestion of marine debris including seabirds, turtles, seals, sea lions, whales and fish



Abandoned or lost fishing nets can continue to catch fish or ghost fish



Turtles often ingest plastic bags mistaking them for jellyfish



Microbeads are tiny pieces of plastic ingredients in personal care products they absorb toxins and enter the foodchain





